

STEEL AUTHORITY OF INDIA LIMITED

Durgapur Steel Plant

Durgapur- 713203, West Bengal, India

Engagement of Resident House Officers/ Registrars/ Sr. Registrars in Durgapur Steel Plant MainHospital, Durgapur

DSP has a 600 bedded hospital equipped with latest diagnostic facilities. It caters to employees and their families and is a premier hospital of the region. The institution has modern state-of-the-art, well equipped Surgical Intensive and burns care unit and other facilities. The National Board of Examinations (NBE) has accredited Departments of General Surgery/Internal Medicine/Paediatrics/O & G and Anaesthesia for post graduate studies.

DSP seeks to engageResident House Officers/ Registrars/ Sr. Registrars for its Hospital in the above mentioned departments on the following terms and conditions:

SI.	Category	Minimum qualification	Monthly stipend(Rs./	Upper age limit (as on 01.06.2016)	No. candidates	of to
			month)		be engaged	
1.	Registrars	MBBS with 2	36000/- 1 st year	35 years (Relaxation of		
		years full time PG	37000/- 2 nd year	age for		
		Diploma		SC/ST/OBC/PWD	5	
2.	Sr.	MBBS with 3	42000/- 1 st year	candidates as		
	Registrars	years full time PG	43500/- 2 nd year	applicable).		
		Degree				

- > Candidates must possess MCI/ State Medical Council permanent Registration.
- ➤ Tenure Period:One year extendable by maximum another year on the basis of satisfactory performance and conduct.
- Interested candidates may appear in the walk in interview, on the date and time given below, with all the relevant documents (Original + one set of self attested photocopies):
 - Filled in format with 4 additional passport size colour photographs
 - Pass certificate & mark sheets (all years) for Educational & Professional qualification
 - Experience certificate (s) showing relevant post qualification experience
 - Proof of date of birth (Class X certificate: ICSE/CBSE/State Board)
 - ❖ MCI/ State Medical Council Permanent Registration Certificate
 - Caste Certificate for SC/ST/OBC- non creamy layer/PWD candidates (as applicable for the current year)

Date of interview: 30.09.2016

> Time of interview: 09:30 hrs.to 11:30 hrs.

Venue: Office of the Director (M&HS), Durgapur Steel Plant Main Hospital, Durgapur- 5

- It may be kindly noted that mid term vacancies if any in future shall be filled up by notifying through SAIL website only.
- For the discipline(s) where excessive number of applications are received/ expected, desired number of candidates in the ratio 1:4 may be shortlisted for interview based on their performance in the qualifying examination.

NB: No TA/DA will be admissible for interview.

Durgapur Steel Plant is situated in West Bengal about158 km from Kolkata and is well connected by Rail/Road (the New Delhi Howrah Main Line and NH2 pass through Durgapur).



APPLICATION FORMAT FOR WALK IN INTERVIEW

Paste your recent passport size self attested photograph

(Please put tick) 2. Name in full (B) 3. Address: (i) Prese	c mark for the post) lock letters):	(ii) Perman	e Officer/ Registrars/ Sr. Registrars(ii) Permanent:					
4. Date of birth: 6. Father's name: 7. Religion:		5.Category (8.Nationali	SC/ST/OBC/P\	WD):				
	Qualification (Matriculation o		cy.					
Qualification	•	Place	Year	Major Subjects	Class/ Division			
10. MCI/ State Medical Council Permanent Regn. No.: 11. Particulars of experience: SI. Name & Address of employer Joining date Leaving date Duties & responsibilities								
12. Details of Inte From 13. Contact Telep	to Na	ame of Hospital Landline N		Mobile N	No.:			
	.: red copies of all certifican nce etc. are to be attached w			tion, SC/ST/OBC/F	PWDCategory, training,			
this application for herewith are four	terms and conditions given orm and its enclosures are to nd to be false and if I an ndidature may be cancelled	rue and correct nunable to en	. In case any c nclose relevan	of my declaration a t documents in su	nd documents attached upport of the eligibility			

Date: Signature of the candidate:

detected afterwards, then my engagement is liable to be terminated without notice.